

Rigid frame wheelchair

Date .....

User name .....

Company stamp

Responsible .....

### Wheelchair measures

Seat width (LS)                    33   36   39   42   45   48  
 The seat width is measured from the outer sides of the frame, while the distance between the two side guards is 1.5 cm wider.

Seat depth (PS)                    35   37,5   40   42,5   45   47,5   50  
 The real seat depth, from the front part of the seat cloth to the backrest tube will be 1,5 cm more than the declared one.


Footplate distance (DP) .....                    (Real distance between seat and footplate)  
**IMPORTANT NOTICE! From the footplate to the floor minimum 4cm.!! (Minimum Front height = DP + 4cm.)**

Setting                                    ☆ Standard                     Prudential                     Active                     Extreme

Backrest Height (TS)                    Std.Value 33,5 .....(min 24.5-max 47)

Camber                                    ☆ 0°    2°    4°

☆ Standard rear adjustment




- ☆ Carbon fibre mudguard
- Carbon fibre Straight sideguard
- Removable version



08921                    £ 109

FULL CARBON rear adjustment plate with integrated mudguard  
 (Lightest configuration)

07646                    £ 818



- ☆ Version mudguard (AVAILABLE ONLY WITH REAR WHEELS 24")
- Version straight sideguard

### Front height - Tick the box with the required height

The possible difference in height between HIGH frame and LOW frame is 3cm (with same fork, caster and assembly hole).

	<i>SPORT fork (H95)</i>	<i>Small size fork (H115)</i>
<b>LOW FRAME 90°</b> Front height (min 44,5 - max 50) Footplate distance (min 33)  Footplate distance (min 21) with U-TUBE Aluminium footplate	Casters  3" <input type="checkbox"/> ~45 <input type="checkbox"/> ~46  4" <input type="checkbox"/> ~46 <input type="checkbox"/> ~47  5" <input type="checkbox"/> ~48,5	Casters  3" <input type="checkbox"/> ~45,5 <input type="checkbox"/> ~47  4" <input type="checkbox"/> ~46,5 <input type="checkbox"/> ~48 <input type="checkbox"/> ~49  5" <input type="checkbox"/> ~49 <input type="checkbox"/> ~50
<b>HIGH FRAME 90°</b> Front height (min 47,5 - max 53) Footplate distance (min 36)  Footplate distance (min 24) with U-TUBE Aluminium footplate	Casters  3" <input type="checkbox"/> ~48 <input type="checkbox"/> ~49  4" <input type="checkbox"/> ~49 <input type="checkbox"/> ~50  5" <input type="checkbox"/> ~51,5	Casters  3" <input type="checkbox"/> ~48,5 <input type="checkbox"/> ~50  4" <input type="checkbox"/> ~49,5 <input type="checkbox"/> ~51 <input type="checkbox"/> ~52  5" <input type="checkbox"/> ~52 <input type="checkbox"/> ~53

The real front-seat height could be slightly different from the chosen one considering it is affected by seat depth and rear seat height.

**Rear height** .....

The difference between Font Height and Rear Height must be in the 3 - 12 cm range.

- Rear wheels 22" (min 36 - max 44)
- Rear wheels 24" (min 38 - max 46)
- Rear wheels 25" (min 39 - max 47)
- Rear wheels 26" (min 41 - max 48)

Rehateam s.r.l. Vicolo Negrelli, 5 - 31040 Castagnole di Paese (TV) - Tel. +39.0422.484667 / +39.0422.484661 / +39.0422.484684  
 P.IVA IT 03182520266 - C.C.I.A.A. TV n.41690 Capitale Sociale I.V. Euro 100.000,00

Email: info@rehateamprogeo.com - web: http://www.rehateamprogeo.com

Date ..... Order ..... English User name ..... Address .....

**Seat**

☆ Seat cloth with pocket (under seat)

Seat with tension straps 08883 **£ 196**

Carbon rigid seat 08336 **£ 415**

Pocket (under seat) [25x11x4,5] 08281 **£ 65**

**CUSTOMIZE COLORS**

**1 Frame colour**

Pearl white  Opaque orange  
 Opaque black 08341 **£ 55**  
 Bright silver  
 Bright red  
 Bright blue

**2 Fork colour**

☆ Opaque black


Bright silver  Bright blue  
 Pearl white  Bright fuchsia  
 Bright red  Bright lime  
08342 **£ 55**

**3 Colour rear wheels**

To be matched only with:Rear wheels Ultra-light Progeo - Standard! (22 - 24)

☆ Black

Bright silver  Bright blue  
 Pearl white  Bright fuchsia  
 Bright red  Bright lime  
04692 **£ 55**



**Rear wheels axle**

☆ Aluminum rear wheels axle

Carbon fiber rear wheels axle (Lightest configuration) **07647 **£ 131****

**Backrest with rake adjustable from -4° to +16°**

☆ Adjustable velcro straps and padded transpiring upholstery

Light adjustable velcro straps and padded transpiring upholstery SPORT 08337 **£ 65**


☆ Backrest with double locking (upright and folded)

Backrest with upright locking system ONLY (no locking when folded)

Fixed back(non-folding back)

☆ Aluminium backrest


Titanium backrest  Bright blue  
 Carbon fibre backrest  Bright fuchsia  
(Lightest configuration) **04389 **£ 655****



**AIR - Integrated posture backrest (not removable) - Lateral retaining 6,5cm.** 06815 **£ 1015**  
 not available for seat width 48 - Std. Backrest upholstery not provided - Handle tube aluminium with short tubes


**Lateral retaining wing B=low**

**Carbon shell H25**



Backrest Height (TS) min 29 ..... max 41


**Carbon shell H33**



Backrest Height (TS) ..... (37 + 46)

**Lateral retaining wing A=high**

**Carbon shell H30**



Backrest Height (TS) ..... (32 + 42,5)

**AIR Cover**

☆ Cover Standard - fabric insert: GREY, stitchings GREY

**Cover SPORT**

- fabric insert: BLACK - Stitchings GREY
- fabric insert: BLACK - Stitchings LIME
- fabric insert: BLACK - Stitchings ORANGE
- fabric insert: BLACK - Stitchings RED
- fabric insert: BLACK - Stitchings BLUE
- fabric insert: BLACK - Stitchings BLACK
- fabric insert: BLACK - Stitchings FUCHSIA
- fabric insert: BLACK - Stitchings ANTHRACITE


**09195 **£ 87****

**Cover ACTIVE**

- fabric insert: RED - Stitchings BLACK
- fabric insert: LIME - Stitchings BLACK
- fabric insert: BLUE - Stitchings BLACK

**09195 **£ 87****

fabric insert:



Transpiring fabric stitchings

Rehateam s.r.l. Vicolo Negrelli, 5 - 31040 Castagnole di Paese (TV) - Tel. +39.0422.480387 / +39.0422.484657 / Fax +39.0422.484661 / +39.0422.484684  
P.IVA IT 03182520266 - C.C.I.A.A. TV n.225867 - Iscr.Trib. TV n.41690 Capitale Sociale I.V. Euro 100.000,00

Email: info@rehateamprogeo.com - web: http://www.rehateamprogeo.com

Date .....	Order .....	English User name .....	Address .....
------------	-------------	----------------------------	---------------


**Handle tube**

☆ Handle tube STD

Handle tube SPORT Without push handles  
 Handle tube with short tubes

Carbon fibre handle (with short tubes)      **Weight reduction approx. 110gr.**      **04390    £ 131**  
**Not available with: Posture backrest PHYSIO - Posture backrest A I R**

Folding handles aluminium      **02958    £ 218**



**Casters**

☆ 4" Soft

3" Sport  
 5" Soft

3" Active Soft (wide)      **(Aluminium alloy rim)**      **06824    £ 109**  
 4" Active Sport (narrow)      **(Aluminium alloy rim)**      **01398    £ 109**  
 4" Active Soft (wide)      **(Aluminium alloy rim)**      **03943    £ 109**  
 5" Active Soft (wide)      **(Aluminium alloy rim)**      **07518    £ 109**

**Rear wheels**

☆ 24" Ultra-light Progeo - Standard!

22" Ultra-light Progeo - Standard!  
 25" Ultra-light Progeo - Standard!      **(colour: black)**  
 26" Progeo - Standard!      **(colour: black)**

24" ULTRA-LIGHT PROGEO KEY SPORT      **Weight reduction approx. 450gr.**      **04383    £ 764**  
 24" Ultra-light "Spinergy LX"      **01685    £ 764**  
 24" Ultra-light "Spinergy LXL"       Black hub and white blade spokes       Hub and blade spokes black      **07846    £ 764**

25" Ultra-light "Spinergy LX"      **02101    £ 764**  
 25" Ultra-light "Spinergy LXL"       Black hub and white blade spokes      **07847    £ 764**  
 26" Ultra-light "Spinergy LX"      **02102    £ 764**  
 24" Off-road (aluminium handrim black)      **01392    £ 196**

**Rear wheel tyre**

☆ High pressure tyre      (22"-24"-25"-26")

High pressure profile tyre      (24")

Marathon Plus      (24"-25")      **with anti-puncture protection**      **01669    £ 55**  
 Solid tyre Kik Mako - Colour Black      (24")      **01041    £ 109**  
 Solid tyre Kik Mako - Colour Grey      (24")      **01751    £ 109**

**Handrim - Wheel distance**      ☆ 3 cm    □ 4 cm

☆ Aluminium      (22"-24"-25"-26")      **09170    £ 109**  
 Aluminium black SOFT-TOUCH      (24"-25")      **01684    £ 131**  
 Chromed Steel      (24"-25")      **00016    £ 240**  
 Titanium      (24"-25")      **00017    £ 273**  
 Ultra Grepp      (24"-25")      **00834    £ 305**  
 Max Grepp      (24"-25")      **00632    £ 305**  
 Ergo Para      (24")      **06427    £ 316**  
 SURGE LT      (24"-25")      **Oval countour with a rubber insert**  
 Quad (24")      (24")      **00693    £ 175**  
 Silicon cover for standard aluminium handrim      **Available for measures (22"-24"-25"-26")**      **04050    £ 142**

**Wheel locks**

☆ Bent lever push to lock

Straight lever Push to lock  
 Straight lever Pull to lock

Sport brake      **06428    £ 109**

Brake with extension lever push to lock      **01949    £ 55**  
 Brake with extension lever pull to lock      **03372    £ 55**







Rehateam s.r.l. Vicolo Negrelli, 5 - 31040 Castagnole di Paese (TV) - Tel. +39.0422.484657 / +39.0422.480387 - Fax +39.0422.484661 / +39.0422.484684

P. IVA IT 03182520266 - C.C.I.A.A. TV n.225867 - Iscr. Trib. TV n.41690 Capitale Sociale I.V. Euro 100.000,00



Email: info@rehateamprogeo.com - web: http://www.rehateamprogeo.com

<u>Date</u>	<u>Order</u>	<u>English</u>	<u>User name</u>	<u>Address</u>
-------------	--------------	----------------	------------------	----------------

### Footplate

- ☆ Aluminium footplate. Rake not adjustable
  - ☆ Aluminium footplate  with plastic plate
- One piece aluminium footplate - Flip-up! FLIP-BACK! - rake and depth adjustable  09420 £ 164
- Aluminium footplate - rake and depth adjustable
  - ☆ Internal  2/3 Internal  External  2/3 External 04456 £ 218
- U-TUBE - Aluminium footplate, rake and depth adjustable  
**Low Frame minimum footplate distance 21 - High Frame minimum footplate distance 24**
 09853 £ 196
- One piece Carbon fibre footplate. Rake adjustable
  - ☆ Internal  External 04110 £ 327

### Armrests


- Swing away armrests **(Swing away, removable and height adjustable armrest)**  00694 £ 218
- Removable armrest with carbon-fiber straight sideguard  
**Available only with: Standard rear adjustment**
 09079 £ 196
  - Kind of pad to be mounted on chosen armrest**
  - ☆ Pad STANDARD
  - Ergonomic pad (30x6 cm.)

### Accessories



- Pad for front frame protectors 07058 £ 44
- Removable storage bag (with quick coupling) 09811 £ 109

### Optional 1

**Only one optional devices for side can be chosen**

- Transit wheels **Exclude the installation of Anti-tippers**  03290 £ 131
- Anti-tipper with rapid hookup **Exclude the installation of Transit wheels (inside rotation to reduce the encumbrance)**
  - Right 06821 £ 109
  - Left 06822 £ 109

### Optional 2

- Push handles for companion **(Removable and height adjustable)**  03645 £ 153
- Tetracclip **(Quick release axle for quadriplegic)** 03947 £ 153
- Safety pelvic belt 03972 £ 55
- Lumbar support **(to insert in the backrest upholstery)** 00013 £ 33
- Swing away lateral support  Right  Left 
  - Not available with:**
  - Posture backrest PHYSIO - Posture backrest A I R**
- Spoke guards Black (22"-24") 01043 £ 131
- Spoke guards Transparent (22"-24") 00835 £ 131
- Spoke guards Progeo design (22"-24") 00019 £ 153
- Spoke guards Dragon (22"-24") 02106 £ 153

### Additional Kit

- 24" Off-road rear wheels **Off-Road tyre - aluminium handrim (black colour)** 03378 £ 436
- 24" FAT rear wheels **FAT tyre 3" - aluminium handrim (black colour)** 09357 £ 764

Date ..... Order ..... English User name ..... Address .....

**PHYSIO - Posture backrest**

Aluminum shell - Lateral retaining STANDARD 7,5cm Height  25  33  41 05308 £ 884  
 Height  52 05309 £ 938



Lateral retaining wing  A=high  B=low

Aluminum shell - Lateral retaining DEEP 15cm Height  25  33  41 05310 £ 938  
**H25 not available for seat width 39-42-45-48**



Height  52 05311 £ 993

Lateral retaining wing  A=high  B=low

Carbon shell - Lateral retaining STANDARD 7,5cm Height  25  33  41 05312 £ 1015



Lateral retaining wing  A=high  B=low


**COVER**

☆ Cover with fabric-cover of backrest's rear side and high refraction fabric hems



SWING AWAY - Lateral support  
 Not available with Physio backrest with lateral retaining DEEP and in carbon backrest

Internal thoracic support to the backrest width, adjustable (0 ÷ -1,5cm)



Large (17,5x11,5)


Left **05646**  Right **05647**

Small (14x9,5)

Left **05642**  Right **05643**

Additional Kit for internal thoracic support to the backrest width, adjustable (-8,5 ÷ -10cm)

Internal thoracic support to the backrest width, adjustable (-4 ÷ -5,5cm)




Large (17,5x11,5)

Left **05646**  Right **05647**

Small (14x9,5)

Left **05642**  Right **05643**

Internal thoracic support to the backrest width, adjustable (-8,5 ÷ -10cm)



Large (17,5x11,5)

Left **05646**  Right **05647** £ 175

Small (14x9,5)

Left **05642**  Right **05643** £ 175

(with additional kit) £ 175

Headrest adjustable - Double ball mounting system  
 Not available for Physio backrest's height 25 and with carbon shell



Large (34x14) 05648 £ 393  
 Small (28x14)

Rehateam s.r.l. - Vicolo Negrelli, 5 - 31040 Castagnole di Paese (TV) - Tel. +39.0422.484657 / +39.0422.484661 - Fax +39.0422.484684  
 P.IVA IT 03182520266 - C.C.I.A.A. TV n.225867 - Iscr. Trib. TV n.41690 Capitale Sociale L.V. Euro 100.000,00

Email: info@rehateamprogeo.com - web: http://www.rehateamprogeo.com

English

Date ..... Order ..... User name ..... Address .....

Rehateam s.r.l. Vicolo Negrilli, 5 - 31040 Castagnole di Paese (TV) - Tel. +39.0422.484657 / +39.0422.480387 - Fax +39.0422.484661 / +39.0422.484684  
 P.IVA IT 03182520266 - C.C.I.A.A. TV n.225867 - Iscr.Trib. TV n.41690 Capitale Sociale I.V. Euro 100.000,00

Email: info@rehateamprogeo.com - web: http://www.rehateamprogeo.com

1	Rear wheels	
	Model	Features
	22" Ultra-light Progeo - Standard!	(not available in anthracite color)
	24" Ultra-light Progeo - Standard!	(available for all colors)
	24" ULTRA-LIGHT PROGEO KEY SPORT	(silver hub, black rim and 16 spokes)
	24" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)
	24" Ultra-light "Spinergy LXL"	(black hub and rim, 18 white blade spokes) - (black hub, rim and 18 spokes)
	24" Ultra-light "Spinergy Flex rim"	(silver hub, black rim and spokes) - (integrated aluminium/rubber handrim - encumbrance reduction up to 3cm. - all tyre)
	24" Off-road	(colour: black) - (aluminium handrim - tyre Off-road)
	25" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)
	25" Ultra-light "Spinergy LXL"	(black hub and rim, 18 white blade spokes)
	26" Progeo - Standard!	(colour: black)
	26" Ultra-light "Spinergy LX"	(silver hub, black rim and 18 spokes)

**Note**