

Date

User name

Company stamp

Folding frame wheelchair

Responsible

Wheelchair measures

Seat width (LS) 36 39 42 45 48

Seat depth (PS) 37,5 40 42,5 45 47,5
 The real seat depth, from the front part of the seat cloth to the backrest tube will be 1 cm more than the declared one. - calculated with angle backrest 90° to the seat

Footplate distance (DP) (Real distance between seat and footplate)
IMPORTANT NOTICE! From the footplate to the floor minimum 4cm!! (Minimum Front height = DP + 4cm.)

Setting Standard Prudential Active

camber 2° 0° 4°


Backrest Height (TS) Std.Value 33,5(min 24.5-max 47)

Backrest angle (to the seat) 90° -6° +6°

Front height (STD 49) - Rear height (STD 43)


Front frame

☆ Aluminium standard frame Angle 100°



- Short frame - Ideal with Seat depth (PS) 37,5 - 40
- Long frame - Ideal with Seat depth (PS) 42,5 - 45 - 47,5

Aluminium frame Angle 90° - (max 5" caster)



- Short frame - Ideal with Seat depth (PS) 37,5 - 40
- Long frame - Ideal with Seat depth (PS) 42,5 - 45 - 47,5

Frame colour

- Bright silver
- Opaque black
- Pearl white

Opaque orange
08341 £ 55

Backrest

☆ Handle tube STD aluminium

Backrest with folding handles



02958 £ 218

Casters


☆ 4" Soft

- 3" Sport
- 5" Soft
- 6" Soft (Available only with 100° angle)
- 6" Pneumatic (Available only with 100° angle)

- 3" Active Soft (wide) (Aluminium alloy rim) 06824 £ 109
- 4" Active Sport (narrow) (Aluminium alloy rim) 01398 £ 109
- 4" Active Soft (wide) (Aluminium alloy rim) 03943 £ 109
- 5" Active Soft (wide) (Aluminium alloy rim) 07518 £ 109

Support front fork

☆ Standard support front fork



Front fork support V Design 2.0
Exclude the installation of : Quick release front forks



06850 £ 131

Rehateam s.r.l. - Via C. Magliani, 5 - 31040 Castagnole di Paese (TV) - Tel. +39.0422.484657 / +39.0422.480387 - Fax +39.0422.484661 / +39.0422.484684
P.IVA IT 03182520266 - C.C.I.A.A. TV n. 225867 - Iscr. Trib. TV n. 41690 Capitale Sociale I.V. Euro 100.000,00

Email: info@rehateamprogeo.com - web: http://www.rehateamprogeo.com

Date	Order	English User name	Address
------	-------	----------------------	---------

Colour set: Rear wheels and forks - To be matched only with:Rear wheels Ultra-light Progeo - Standard! (22 - 24)

<input checked="" type="radio"/> Polished black	22" 24" 25" 26"		
<input type="radio"/> Bright silver	22" 24"	00833	£ 109
<input type="radio"/> Bright anthracite	24"	00833	£ 109
<input type="radio"/> Bright orange	22" 24"	00833	£ 109
<input type="radio"/> Bright fuchsia	22" 24"	00833	£ 109
<input type="radio"/> Bright blue	22" 24"	00833	£ 109
<input type="radio"/> Bright red	22" 24"	00833	£ 109
<input type="radio"/> Bright lime	22" 24"	00833	£ 109
<input type="radio"/> Pearl white	24"	00833	£ 109

Rear wheels

<input checked="" type="radio"/> 24" Ultra-light Progeo - Standard!			
<input type="checkbox"/> 22" Ultra-light Progeo - Standard!			
<input type="checkbox"/> 25" Ultra-light Progeo - Standard!	(colour: black)		
<input type="checkbox"/> 26" Progeo - Standard!	(colour: black)		
<input type="radio"/> 24" ULTRA-LIGHT PROGEO KEY SPORT	Weight reduction approx. 450gr.	04383	£ 764
<input type="radio"/> 24" Ultra-light "Spinergy LX"		01685	£ 764
<input type="radio"/> 24" Ultra-light "Spinergy LXL"	<input type="checkbox"/> Black hub and white blade spokes <input type="checkbox"/> Hub and blade spokes black	07846	£ 764
<input type="radio"/> 25" Ultra-light "Spinergy LX"		02101	£ 764
<input type="radio"/> 25" Ultra-light "Spinergy LXL"	<input type="checkbox"/> Black hub and white blade spokes	07847	£ 764
<input type="radio"/> 26" Ultra-light "Spinergy LX"		02102	£ 764
<input type="radio"/> 24" Off-road (aluminium handrim black)		01392	£ 196
<input type="radio"/> One arm drive - (24" rear wheels Aluminium handrim High pressure Tyre) - camber 0°	<input type="radio"/> Right <input type="radio"/> Left	02103	£ 349

Rear wheel tyre

<input checked="" type="radio"/> High pressure tyre	(22"-24"-25"-26")		
<input type="checkbox"/> High pressure profile tyre	(24")		
<input type="radio"/> Marathon Plus	(24"-25")	with anti-puncture protection	01669 £ 55
<input type="radio"/> Solid tyre Kik Mako - Colour Black	(24")		01041 £ 109
<input type="radio"/> Solid tyre Kik Mako - Colour Grey	(24")		01751 £ 109

Handrim - Wheel distance

★ 3 cm □ 4 cm

<input checked="" type="radio"/> Aluminium	(22"-24"-25"-26")		
<input type="radio"/> Aluminium black SOFT-TOUCH	(24"-25")	09170	£ 109
<input type="radio"/> Chromed Steel	(24"-25")	01684	£ 131
<input type="radio"/> Titanium	(24"-25")	00016	£ 240
<input type="radio"/> Ultra Grepp	(24"-25")	00017	£ 273
<input type="radio"/> Max Grepp	(24"-25")	00834	£ 305
<input type="radio"/> Ergo Para	(24")	00632	£ 305
<input type="radio"/> SURGE LT	(24"-25")	Oval countour with a rubber insert	06427 £ 316
<input type="radio"/> Quad (24")	(24")	00693	£ 175
<input type="radio"/> Silicon cover for standard aluminium handrim	Available for measures (22"-24"-25"-26")	04050	£ 142

Wheel locks


<input checked="" type="radio"/> Bent lever push to lock			
<input type="checkbox"/> Straight lever Push to lock			
<input type="checkbox"/> Straight lever Pull to lock			
<input type="radio"/> Sport brake		06428	£ 109
<input type="radio"/> Brake with extension lever push to lock		01949	£ 55
<input type="radio"/> Brake with extension lever pull to lock		03372	£ 55


Rehateam s.r.l. - Vico Negrilli, 5 - 31040 Castagnole di Paese (TV) - Tel. +39.0422.484657 / +39.0422.484661 / +39.0422.484684
 P.IVA IT 03182520266 - C.C.I.A.A. TV n.225867 - Iscr. Trib. TV n.41690 Capitale Sociale i.V. Euro 100.000,00


Email: info@rehateamprogeo.com - web: http://www.rehateamprogeo.com



Date Order English User name Address


Footplate - See reference tables N°3


- Automatic Closure footplate rake and depth adjustable
 Minimum footplate distance 35cm. Internal 2/3 Internal External 
 - Minimum footplate distance 30cm. Available only with Multi-function and rotative system - 03945 £ 164,00

- One piece footplate - Flip-up! rake and depth adjustable
 Minimum footplate distance 35cm. Internal 2/3 Internal External 
 - Minimum footplate distance 30cm. Available only with Multi-function and rotative system - 03945 £ 164,00

- One piece aluminium footplate - Flip-up! rake and depth adjustable
 Minimum footplate distance 35cm. Internal 2/3 Internal 2/3 External External 

- Plastic footrest rake adjustable
 Minimum footplate distance 35cm. 2/3 Internal 2/3 External   06861 £ 76
 Need a stretch calf band.


- One piece Carbon fibre footplate rake adjustable, swing away, flip-up.
 Minimum footplate distance 35cm. Internal External  03291 £ 240


- Footplate COMPACT, automatic Closure, rake and depth adjustable
 Minimum footplate distance 35cm. Internal External  09957 £ 218


Mudguard

- #### Mudguard
- ABS mudguard
 - ABS Straight sideguard
 - Carbon fibre mudguard
 - Carbon fibre Straight sideguard
- 
- 03946 £ 273
08918 £ 273
- #### Removable version
- Removable ABS mudguard
 - Removable ABS fibre straight sideguard
 - Removable carbon fibre mudguard
 - Removable Carbon fibre straight sideguard
- 
- 08921 £ 109
08921 £ 109
08919 £ 382
08920 £ 382

Armrests

- Swing away armrests (Swing away, removable and height adjustable armrest)  00694 £ 218

 - Removable armrest with ABS straight sideguard  08881 £ 196


 - Removable armrest with carbon-fiber straight sideguard  08882 £ 393
- Kind of pad to be mounted on chosen armrest**
- Pad STANDARD
 - Ergonomic pad (30x6 cm.) 04104 £ 55


Accessories


- Pad for front frame protectors 07058 £ 44
- Removable storage bag (with quick coupling) 09811 £ 109


Optional 1

Only one optional devices for side can be chosen

- Transit wheels Exclude the installation of :
Anti-tippers -Tipping aid - Crutches support  00836 £ 131



- Anti-tipper with rapid hookup (inside rotation to reduce the encumbrance)
 Right  00023 £ 109
 Left 00024 £ 109

- Tipping aid Right  00025 £ 65
 Left 01046 £ 65

- Crutches support Right  00838 £ 65
 Left 00837 £ 65

Date Order English User name Address

Optional 2




- Tetraclip (Quick release axle for quadriplegic) 03947 £ 153
- Quick release front forks To be matched only with: Standard support front fork 00030 £ 131
- Push handles for companion (Removable and height adjustable)  01048 £ 164
- Safety pelvic belt 03972 £ 55
- Harness 04103 £ 109
- Lumbar support (to insert in the backrest upholstery) 00013 £ 33
- Swing away lateral support Right  02097 £ 218
 Not available with Posture backrest PHYSIO Left 02098 £ 218
- Spoke guards Black (22"-24") 01043 £ 131
- Spoke guards Transparent (22"-24") 00835 £ 131
- Spoke guards Progeo design (22"-24") 00019 £ 153
- Spoke guards Dragon (22"-24") 02106 £ 153

Additional Kit

- 24" Off-road rear wheels Off-Road tyre - aluminium handrim (black colour) 03378 £ 436
- 24" FAT rear wheels FAT tyre 3" - aluminium handrim (black colour) 09357 £ 764

PHYSIO - Posture backrest

Std. Backrest upholstery not provided

- Aluminum shell - Lateral retaining STANDARD 7,5cm  Height 25 33 41 05308 £ 884
 Height 52 05309 £ 938
 Lateral retaining wing A=high B=low
- Aluminum shell - Lateral retaining DEEP 15cm  Height 25 33 41 05310 £ 938
H25 not available for seat width 39-42-45-48
 Height 52 05311 £ 993
 Lateral retaining wing A=high B=low
- Carbon shell - Lateral retaining STANDARD 7,5cm  Height 25 33 41 05312 £ 1015
 Lateral retaining wing A=high B=low


COVER

☆ Cover with fabric-cover of backrest's rear side and high refraction fabric hems




- SWING AWAY - Lateral support
 Not available with Physio backrest with lateral retaining DEEP and in carbon backrest

Internal thoracic support to the backrest width, adjustable (0 ÷ -1,5cm)




- Large (17,5x11,5) Left 05646 Right 05647
- Small (14x9,5) Left 05642 Right 05643
- Additional Kit for internal thoracic support to the backrest width, adjustable (-8,5 ÷ -10cm)

Internal thoracic support to the backrest width, adjustable (-4 ÷ -5,5cm)



- Large (17,5x11,5) Left 05646 Right 05647
- Small (14x9,5) Left 05642 Right 05643

Internal thoracic support to the backrest width, adjustable (-8,5 ÷ -10cm)



- Large (17,5x11,5) Left 05646 Right 05647 £ 175
- Small (14x9,5) Left 05642 Right 05643 £ 175
- (with additional kit)

Rehateam s.r.l. Vicolo Negrelli, 5 - 31040 Castagnole di Paese (TV) - Tel. +39.0422.484657 / +39.0422.480387 - Fax +39.0422.484661 / +39.0422.484684
 P.IVA IT 03182520266 - C.C.I.A.A. TV n.41690 Capitale Sociale I.V. Euro 100.000,00

Email: info@rehateamprogeo.com - web: http://www.rehateamprogeo.com

Date	Order	English User name	Address
------------	-------------	----------------------------	---------------

Headrest adjustable - Double ball mounting system



Not available for Physio backrest's height 25 and with carbon shell

- Large (34x14)
- Small (28x14)

05648 £ 393

Rehateam s.r.l. Vicolo Negrelli, 5 - 31040 Castagnole di Paese (TV) - Tel. +39.0422.484657 / +39.0422.480387 - Fax +39.0422.484664
 P.IVA IT 03182520266 - C.C.I.A.A. TV n.225867 - Iscr. Trib. TV n.41690 Capitale Sociale I.V. Euro 100.000,00



Email: info@rehateamprogeo.com - web: http://www.rehateamprogeo.com

Note

Italia Certified company normative UNI EN ISO 9001		Important notices page only if any optional have been chosen	
Pag. 5 / 5	Wheelchair : TEKNA ADVANCE - Rev. 2020.1	Prices in EURO - VAT excluded to be added to the price list	<input checked="" type="checkbox"/> standard (supplied if no requests are indicated) <input type="checkbox"/> on request (without extra charge) <input type="checkbox"/> optional (cost to be added at the basic price)

Enclosure to wheelchair order form Tekna Advance

REFERENCE TABLES

1	Front height			
With closed frame (95°) max 5" caster With closed frame (90°) max 5" caster With closed frame (85°) max 4" caster				
Casters				
FORK	3"	4"	5"	6"
SMALL 	max 49	max 50	max 51	
MEDIUM 	max 53	max 54	max 55	max 57
The size of the fork will be defined only by Rehateam Progeo in accordance with wheelchair final configuration.				

2	Rear height			
Rear wheels				
	22"	24"	25"	26"
H min	min. 36	min. 38	min. 39	min. 40
H max	max 44	max 48	max 49	max 51

3	Footplate option	Footplate distance
	Automatic Closure footplate	min. 36
	Automatic Closure footplate , with multifunction rotative system	min. 31
	One piece footplate - Flip-up!	min. 36
	One piece footplate - Flip-up! , with multifunction rotative system	min. 31
	One piece aluminium footplate - Flip-up!	min. 36
	Plastic footrest	min. 36
	One piece Carbon fibre footplate	min. 36
Calculated with the best configuration and with the footplates positioned on inside.		
IMPORTANT NOTICE! From the footplate to the floor minimum 4cm.!! (Minimum Front height = DP + 4cm.)		

4	Rear wheels	
	Model	Features
	22" Ultra-light Progeo - Standard!	(not available in anthracite color)
	24" Ultra-light Progeo - Standard!	(available for all colors)
	24" ULTRA-LIGHT PROGEO KEY SPORT	(silver hub, black rim and 16 spokes)
	24" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)
	24" Ultra-light "Spinergy LXL"	(black hub and rim, 18 white blade spokes) - (black hub, rim and 18 spokes)
	24" Ultra-light "Spinergy Flex rim"	(silver hub, black rim and spokes) - (integrated aluminium/rubber handrim - encumbrance reduction up to 3cm. - all tyre)
	24" Off-road	(colour: black) - (aluminium handrim - tyre Off-road)
	25" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)
	25" Ultra-light "Spinergy LXL"	(black hub and rim, 18 white blade spokes)
	26" Progeo - Standard!	(colour: black)
	26" Ultra-light "Spinergy LX"	(silver hub, black rim and 18 spokes)